




Chief engineers world-class projector mounting solutions designed to speed up installations. Industry-first features like MicroZone™ micro-adjustments provide perfect projector registration, while easy lamp and filter access make maintaining projectors fast.

*[chiefmfg.com](http://chiefmfg.com)*



# INSTALLER-INSPIRED PROJECTOR MOUNTS

Chief's full line of projector mounts, lifts and accessories are backed by proven technologies and industry-leading customer service. Our exclusive features save time, making sure your projects run smoothly.



Chief's projector solutions now feature a convenient pin-connection column system for a super sleek design and an even quicker installation. Threaded connection is also possible.

#### MICROZONE™ ADJUSTMENTS

Make projector registration fast and precise (including flush-mount installations).

#### CENTRIS® TECHNOLOGY

Enables effortless fingertip positioning. Self-adjusts to support different projector weights.

#### Q-LOCK™ QUICK RELEASE

Provides quick connect/disconnect of the projector for service and enhanced security with an integrated key and lock system.



Available in  
black & white




**Elite Projector Mount**

RPMEU



**Mini Elite Projector Mount**

RSMEU



**RPEU Projector Mount**

RPEU



**Mini RPEU Projector Mount**

RSEU



**Heavy-Duty Projector Mount**

VCMEU



**Automated Projector Lift**

SL236



**Automated Projector Lift**

SL220



**Automated Projector Lift**

SL151

## SPECIFICATIONS

Model	Roll, Pitch, Yaw	MicroZone Adjustment	Weight Capacity	Max Projector Width	Required Accessories	Color
RSEU	$\pm 3^\circ$ , $\pm 20^\circ$ , $360^\circ$		11.3 kg	—	—	■ □
RSMEU	$\pm 3^\circ$ , $\pm 15^\circ$ , $360^\circ$	•	11.3 kg	—	—	■ □
RPEU	$\pm 4^\circ$ , $\pm 25^\circ$ , $360^\circ$		22.7 kg	—	—	■ □
RPMEU	$\pm 3^\circ$ , $\pm 20^\circ$ , $360^\circ$	•	22.7 kg	—	—	■ □
VCM	$\pm 3^\circ$ , $\pm 20^\circ$ , $360^\circ$		113.3 kg	—	—	■
SL220	$\pm 3^\circ$ , $\pm 15^\circ$ , $360^\circ$		13.6 kg	419 mm	RSMEUW	□
SL151	$\pm 2^\circ$ , $\pm 20^\circ$ , $\pm 5^\circ$		15.9 kg	457 mm	SSBUW	□
SL236SP	$\pm 2^\circ$ , $\pm 15^\circ$ , $\pm 10^\circ$		15.9 kg	635 mm	SSBUW	□



# CONVENIENT KIT ORDERING OPTIONS

For added convenience, Chief offers bundled kits that ship with everything you need for a complete projector installation.

Includes RSMEU Mini Elite™ Projector Mount, CPA115 Flat Ceiling Plate and CPA Telescoping Extension Column.

## FEATURES

### TELESCOPING CAPABILITY

Infinite projector mount positioning.

### MICROZONE™ ADJUSTMENTS

This feature makes projector registration fast and precise.

### Q-LOCK™ QUICK RELEASE LEVER

Provides quick connect/disconnect of the projector for enhanced security with an integrated key and lock system.

### CABLE MANAGEMENT

Inlay style external cable management supports easy installation and serviceability.

### STYLISH COLORS

Choose two-tone black and silver or white.



Kit Model	Roll, Pitch, Yaw	Weight Capacity	Dimensions* (HxWxD)	Extension	Color
KITE030045	±3°, ±15°, 360°	11.3 kg	51 x 15.2 x 15.2 cm	300 - 450 mm	<input checked="" type="checkbox"/> <input type="checkbox"/>
KITE045080	±3°, ±15°, 360°	11.3 kg	51 x 15.2 x 15.2 cm	450 - 800 mm	<input checked="" type="checkbox"/> <input type="checkbox"/>
KITE080135	±3°, ±15°, 360°	11.3 kg	51 x 15.2 x 15.2 cm	800 - 1350 mm	<input checked="" type="checkbox"/> <input type="checkbox"/>


\* Dimensions do not include interface bracket

# SHORT THROW & WHITEBOARD MOUNTS



## Short Throw Wall Mounts

WP2 Series



## Micro-adjust Short Throw Wall Mounts

WM1 Series



## Micro-adjust Short Throw Wall Mounts

WM2 Series

## SPECIFICATIONS

Model	Extension	Leveling	Lateral Shift	Weight Capacity	Color
WP21US Dual Wall Plate Mount	60 - 600 mm	+4°/-0°	44 mm (1.75")	11.3 kg (25 lbs)	
WP22US Dual Wall Plate Mount	60 - 990 mm	+4°/-0°	44 mm (1.75")	11.3 kg (25 lbs)	
WP23US Dual Wall Plate Mount	60 - 1400 mm	+4°/-0°	44 mm (1.75")	11.3 kg (25 lbs)	
WM120AUS Single Wall Plate Mount	457 - 762 mm	±3°	-	11.3 kg (25 lbs)	
WM230AUS Dual Wall Plate Mount	762 - 1372 mm	±3°	330 mm (13")	11.3 kg (25 lbs)	
WM130AUS Single Wall Plate Mount	762 - 1372 mm	±3°	-	11.3 kg (25 lbs)	
WM210AUS Dual Wall Plate Mount	457 mm	±3°	330 mm (13")	11.3 kg (25 lbs)	
WM110AUS Single Wall Plate Mount	457 mm	±3°	-	11.3 kg (25 lbs)	
WM220AUS Dual Wall Plate Mount	457 - 762 mm	±3°	330 mm (13")	11.3 kg (25 lbs)	



# CEILING & WALL MOUNT ACCESSORIES

## PIN CONNECTION ACCESSORIES



CPA115/CPA115W	Details
Pin Connection Ceiling Plate	Color: Black, White Weight Capacity: 34 kg



CPA330	Details
Offset Ceiling Plate	Color: Black Weight Capacity: 227 kg



CPA365	Details
Truss/Pole Ceiling Plate	Color: Black Weight Capacity: 227 kg



CPA395	Details
Angled Ceiling Plate	Color: Black Weight Capacity: 227 kg



CPAEXXXX				Details
Pin Connection Columns				Color: Silver/black, Black, White Weight Capacity: 227 kg
Model	Length	Model	Length	
CPAE030	30 cm	CPAE150	150 cm	
CPAE080	80 cm	CPAE300	300 cm	

## CEILING ADAPTERS



CMS440	Details
Above-tile Suspended Ceiling Kit	For use in 610 x 610 mm or 610 x 1220 mm ceiling tile Weight Capacity: 22.7 kg



CMS490	Details
Ceiling Tile Storage Kit	For use in 610 x 610 mm or 610 x 1220 mm ceiling tile

## WALL MOUNT ACCESSORIES



WMA1S	Details
Single Stud Heavy Duty Wall Mount Accessory	Color: Silver Weight Capacity: 68 kg



WM2i	Details
Interactive Upgrade Kit	Turn any surface interactive Compatibility: WM2 Series



WMA16	Details
Wall Cover	Covers outlets amplifiers & excess cable at the wall Compatibility: WM2 Series



WMAH3	Details
Height Adjust Accessory	Compatibility: WM2 & WM2 Series Weight Capacity: 11.3 kg

## SECURITY ACCESSORIES



PG1A	Details
Large Projector Guard	Max equipment size 191 x 508 x 518 mm Colors: Black, White



PG2A	Details
Large Projector Guard	Max equipment size 191 x 406 x 406 mm Colors: Black, White



HC1	Details
Heavy-Duty Cable System	Security cable system with adhesive pads and SA1 Security Anchor



SEC2	Details
Security Cable Kit for SLBU	Includes two locks and two cables



## THREADED CEILING PLATES



CMS115	Details
SpeedConnect™ Ceiling Plate with 1-½" NPT opening	Color: Black, White, Silver Weight Capacity: 227 kg



CMA330	Details
Offset Ceiling Plate	Offset Height: 45 mm Weight Capacity: 227 kg



CMA395	Details
Angled Ceiling Plate	Color: Black, White Weight Capacity: 227 kg

## THREADED STRUCTURAL ADAPTERS



CMA365	Details
Truss Ceiling Adapter	Clamp Range: 19-76 mm O.D. Weight Capacity: 113.6 kg

## THREADED IN-LINE ADAPTERS



CMA270	Details
Coupler	Color: Black, White, Silver Weight Capacity: 227 kg



CMA340	Details
Stabilization Kit for Columns	Includes one pole clamp, four cables and four turnbuckles Weight Capacity: 227 kg

## THREADED EXTENSION COLUMNS



CMS0XX	Details		
Fixed Extension Columns	Colors: Black, White, Silver Weight Capacity: 227 kg		
Model	Length	Model	Length
CMS003*	76 mm	CMS012	305 mm
CMS006*	152 mm	CMS018	457 mm
*Steel construction		CMS024	0.6 m



CMS0XX0XX		Details	
Adjustable Extension Columns		Colors: Black, White, Silver Weight Capacity: 227 kg	
Model	Length	Model	Length
CMS006009	152 - 229 mm	CMS018024	457 - 610 mm
CMS009012	229 - 305 mm	CMS0203	0.6 - 0.9 m
CMS012018	305 - 457 mm	CMS0305	0.9 - 1.5 m



CMA640	Details
Decorative Ring for Columns	Color: Black, White, Silver Clamp Range: 48 mm O.D.

Also Available: CMA643 Decorative Ring for Columns  
Clamp Range: 62 mm O.D. | Color: Silver





# Chief Provides Projector Solutions for Swedish Exhibition Centre

Swedish exhibition centre Kistamässan desired cutting-edge AV technology to match its modern design. When outfitting one of the facility's major halls, the Kistamässan team requested projector mounting solutions that enabled easy access for maintenance and offered flexibility and ease-of-install – all with a sleek, modern design.

Its AV integrator, Digital Media Display, relied on Chief projector mounts for the project.

“Installing Chief’s projector solutions was the answer to our needs and really simplified the installation,” said Dennis Sundell of Digital Media Display. “The

independent roll, pitch and yaw adjustments within the projector mount made the fine-tuning of the projection quick and easy. Perhaps more importantly, after servicing or changing the projectors in the future, the registration of the projector mount settings is not lost. This means we do not have to re-do the projector registration again, we just snap the projector back on the mounting system.”



[news.chiefmfg.com/chief-provides-digital-signage-projector-solutions](http://news.chiefmfg.com/chief-provides-digital-signage-projector-solutions)



### CUSTOMER SERVICE

Our products are backed by the best in customer service. Contact any of our Customer Service team members 8.30 – 17.30 CET, Monday - Friday for assistance.



A BRAND OF MILESTONE AV TECHNOLOGIES ■ [www.chiefmfg.com](http://www.chiefmfg.com)

USA	P 800.582.6480 / +1.952.225.6000 ■ F 877.894.6918 / +1.952.894.6918 ■ <a href="mailto:chief@chiefmfg.com">chief@chiefmfg.com</a>
Canada	P 877.345.4329 ■ F 888.377.5314 ■ <a href="mailto:info@chiefmounts.ca">info@chiefmounts.ca</a>
EMEA	P +31 495 580 852 ■ F +31 495 580 845 ■ <a href="mailto:europe.chief@milestone.com">europe.chief@milestone.com</a>
Asia Pacific	P +852 2145 4099 ■ F +852 2145 4477 ■ <a href="mailto:asia.chief@milestone.com">asia.chief@milestone.com</a>